

University of Groningen

Insight in psychosis

de Vos, Annerieke

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Vos, A. (2016). *Insight in psychosis: Metacognitive processes and treatment*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

REFERENCES

- Abu-Akel, A., & Shamay-Tsoory, S. (2011). Neuroanatomical and neurochemical bases of theory of mind. *Neuropsychologia*, 49(11), 2971–84.
- Agosta, F., Pievani, M., Geroldi, C., Copetti, M., Frisoni, G. B., & Filippi, M. (2012). Resting state fMRI in Alzheimer's disease: beyond the default mode network. *Neurobiology of Aging*, 33(8), 1564–78.
- Aleman, A., Agrawal, N., Morgan, K. D., & David, A. S. (2006). Insight in psychosis and neuropsychological function: meta-analysis. *The British Journal of Psychiatry: The Journal of Mental Science*, 189, 204–12.
- Aleman, A., Kahn, R. S., & Selten, J.-P. (2003). Sex differences in the risk of schizophrenia: evidence from meta-analysis. *Archives of General Psychiatry*, 60(6), 565–71.
- Allen, P. P., Amaro, E., Fu, C. H. Y., Williams, S. C. R., Brammer, M., Johns, L. C., & McGuire, P. K. (2005). Neural correlates of the misattribution of self-generated speech. *Human Brain Mapping*, 26(1), 44–53.
- Amador, X. F., & David, A. S. (2004). *Insight and psychosis*. Oxford: Oxford University Press.
- Amador, X. F., Flaum, M., Andreasen, N. C., Strauss, D. H., Yale, S. A., Clark, S. C., & Gorman, J. M. (1994). Awareness of illness in schizophrenia and schizoaffective and mood disorders. *Archives of General Psychiatry*, 51(10), 826–36.
- Amador, X. F., Strauss, D. H., Yale, S. A., Flaum, M. M., Endicott, J., & Gorman, J. M. (1993). Assessment of insight in psychosis. *The American Journal of Psychiatry*, 150(6), 873–9.
- Amador, X. F., Strauss, D. H., Yale, S. A., & Gorman, J. M. (1991). Awareness of illness in schizophrenia. *Schizophrenia Bulletin*, 17(1), 113–32.
- Anonymous. (2015). Video and Poor Insight in Persons With Schizophrenia. *Schizophrenia Bulletin*, Online 17 March 2015.
- Antonius, D., Prudent, V., Rehani, Y., D'Angelo, D., Ardekani, B. A., Maspasina, D., & Hoptman, M. J. (2011). White matter integrity and lack of insight in schizophrenia and schizoaffective disorder. *Schizophrenia Research*, 128(1-3), 76–82.
- Bajbouj, M., & Padberg, F. (2014). A perfect match: noninvasive brain stimulation and psychotherapy. *European Archives of Psychiatry and Clinical Neuroscience*, 264 Suppl , S27–33.
- Bassitt, D. P., Neto, M. R. L., de Castro, C. C., & Busatto, G. F. (2007). Insight and regional brain volumes in schizophrenia. *European Archives of Psychiatry and Clinical Neuroscience*, 257(1), 58–62.
- Bayard, S., Capdevielle, D., Boulenger, J.-P., & Raffard, S. (2009). Dissociating self-reported cognitive complaint from clinical insight in schizophrenia. *European Psychiatry: The Journal of the Association of European Psychiatrists*, 24(4), 251–8.
- Beck, A. T., Baruch, E., Balter, J. M., Steer, R. A., & Warman, D. M. (2004). A new instrument for measuring insight: the Beck Cognitive Insight Scale. *Schizophrenia Research*, 68(2-3), 319–329.
- Bedford, N. J., & David, A. S. (2013). Denial of illness in schizophrenia as a disturbance of self-reflection, self-perception and insight. *Schizophrenia Research*, 152(1), 89–96.
- Bedford, N. J., Surguladze, S., Giampietro, V., Brammer, M. J., & David, A. S. (2012). Self-evaluation in schizophrenia: an fMRI study with implications for the understanding of insight. *BMC Psychiatry*, 12, 106.
- Bell, A. J., & Sejnowski, T. J. (1995). An information-maximization approach to blind separation and blind deconvolution. *Neural Computation*, 7(6), 1129–59.
- Benedetti, F., Bernasconi, A., Bosia, M., Cavallaro, R., Dallaspezia, S., Falini, A., Smeraldi, E. (2009). Functional and structural brain correlates of theory of mind and empathy deficits in schizophrenia. *Schizophrenia Research*, 114(1-3), 154–60.
- Bengtsson, S. L., Dolan, R. J., & Passingham, R. E. (2011). Priming for self-esteem influences the monitoring of one's own performance. *Social Cognitive and Affective Neuroscience*, 6(4), 417–425.
- Bentall, R. (2007). The paranoid self. In T. Kircher & A. S. David (Eds.), *The self in neuroscience and psychiatry* (pp. 293–312). Cambridge: Cambridge University Press.
- Bergé, D., Carmona, S., Rovira, M., Bulbena, A., Salgado, P., & Vilarroya, O. (2011). Gray matter volume deficits and correlation with insight and negative symptoms in first-psychotic-episode subjects. *Acta Psychiatrica Scandinavica*, 123(6), 431–9.
- Berrios, G. E., & Beer, D. (1994). The notion of a unitary psychosis: a conceptual history. *History of Psychiatry*, 5(17 Pt 1), 13–36.
- Berrios, G., & Marková, I. (2004). Insight in the psychosis: a conceptual history. In *Insight and psychosis: awareness of insight in schizophrenia and related disorders*. (pp. 31–50). Oxford: Oxford University Press.
- Birchwood, M., Smith, J., Drury, V., Healy, J., Macmillan, F., & Slade, M. (1994). A self-report Insight Scale for psychosis: reliability, validity and sensitivity to change. *Acta Psychiatrica Scandinavica*, 89(1), 62–7.
- Bora, E., Erkan, A., Kayahan, B., & Veznedaroglu, B. (2007). Cognitive insight and acute psychosis in schizophrenia. *Psychiatry and Clinical Neurosciences*, 61(6), 634–9.
- Bora, E., Sehitoglu, G., Aslier, M., Atabay, I., & Veznedaroglu, B. (2007). Theory of mind and unawareness of illness in schizophrenia: is poor insight a mentalizing deficit? *European Archives of Psychiatry and Clinical Neuroscience*, 257(2), 104–11.
- Borowsky, R., Loehr, J., Kelland Friesen, C., Kraushaar, G., Kingstone, A., & Sarty, G. (2005). Modularity and intersection of “what”, “where” and “how” processing of visual stimuli: a new method of fMRI localization. *Brain Topography*, 18(2), 67–75.
- Bose, A., Shivakumar, V., Narayanaswamy, J. C., Nawani, H., Subramaniam, A., Agarwal, S. M., Venkatasubramanian, G. (2014). Insight facilitation with add-on tDCS in schizophrenia. *Schizophrenia Research*, 156(1), 63–5.
- Bosia, M., Riccaboni, R., & Poletti, S. (2012). Neurofunctional correlates of theory of mind deficits in schizophrenia. *Current Topics in Medicinal Chemistry*, 12(21), 2284–302.
- Broyd, S. J., Demanuele, C., Debener, S., Helps, S. K., James, C. J., & Sonuga-Barke, E. J. S. (2009). Default-mode brain dysfunction in mental disorders: a systematic review. *Neuroscience and Biobehavioral Reviews*, 33(3), 279–96.
- Brune, M. (2005). “Theory of Mind” in Schizophrenia: A Review of the Literature. *Schizophrenia Bulletin*, 31(1), 21–42.
- Brunet-Gouet, E., & Decety, J. (2006). Social brain dysfunctions in schizophrenia: a review of neuroimaging studies. *Psychiatry Research*, 148(2-3), 75–92.

- Buchy, L., Ad-Dab'bagh, Y., Malla, A., Lepage, C., Bodnar, M., Joober, R., Lepage, M. (2011). Cortical thickness is associated with poor insight in first-episode psychosis. *Journal of Psychiatric Research*, 45(6), 781–787.
- Buchy, L., Czechowska, Y., Chochol, C., Malla, A., Joober, R., Pruessner, J., & Lepage, M. (2010). Toward a model of cognitive insight in first-episode psychosis: verbal memory and hippocampal structure. *Schizophrenia Bulletin*, 36(5), 1040–1049.
- Buchy, L., Hawco, C., Joober, R., Malla, A., & Lepage, M. (2015). Cognitive insight in first-episode schizophrenia: further evidence for a role of the ventrolateral prefrontal cortex. *Schizophrenia Research*, 166(1-3), 65–8.
- Buchy, L., Malla, A., Joober, R., & Lepage, M. (2009). Delusions are associated with low self-reflectiveness in first-episode psychosis. *Schizophrenia Research*, 112(1-3), 187–91.
- Buckner, R. L., Andrews-Hanna, J. R., & Schacter, D. L. (2008). The brain's default network: anatomy, function, and relevance to disease. *Annals of the New York Academy of Sciences*, 1124, 1–38.
- Bushe, C. J., Taylor, M., & Haukka, J. (2010). Mortality in schizophrenia: a measurable clinical endpoint. *Journal of Psychopharmacology (Oxford, England)*, 24(4 Suppl), 17–25.
- Calhoun, V. D., Adali, T., Pearson, G. D., & Pekar, J. J. (2001). A method for making group inferences from functional MRI data using independent component analysis. *Human Brain Mapping*, 14(3), 140–51.
- Carpenter, W. T., Strauss, J. S., & Bartko, J. J. (1973). Flexible system for the diagnosis of schizophrenia: report from the WHO International Pilot Study of Schizophrenia. *Science (New York, N.Y.)*, 182(4118), 1275–8.
- Carrington, S. J., & Bailey, A. J. (2009). Are there theory of mind regions in the brain? A review of the neuroimaging literature. *Human Brain Mapping*, 30(8), 2313–35.
- Carruthers, P. (2009). How we know our own minds: the relationship between mindreading and metacognition. *The Behavioral and Brain Sciences*, 32(2), 121–38; discussion 138–82.
- Caspers, S., Geyer, S., Schleicher, A., Mohlberg, H., Amunts, K., & Zilles, K. (2006). The human inferior parietal cortex: cytoarchitectonic parcellation and interindividual variability. *NeuroImage*, 33(2), 430–48.
- Cavelti, M., Kvrđić, S., Beck, E.-M., Rüsch, N., & Vauth, R. (2012). Self-stigma and its relationship with insight, demoralization, and clinical outcome among people with schizophrenia spectrum disorders. *Comprehensive Psychiatry*, 53(5), 468–79.
- Cole, M. W., & Schneider, W. (2007). The cognitive control network: Integrated cortical regions with dissociable functions. *NeuroImage*, 37(1), 343–60.
- Cooke, M. A., Fannon, D., Kuipers, E., Peters, E., Williams, S. C., & Kumari, V. (2008). Neurological basis of poor insight in psychosis: a voxel-based MRI study. *Schizophrenia Research*, 103(1-3), 40–51.
- Cooke, M. A., Peters, E. R., Fannon, D., Aasen, I., Kuipers, E., & Kumari, V. (2010). Cognitive insight in psychosis: the relationship between self-certainty and self-reflection dimensions and neuropsychological measures. *Psychiatry Research*, 178(2), 284–289.
- Cooke, M. A., Peters, E. R., Kuipers, E., & Kumari, V. (2005). Disease, deficit or denial? Models of poor insight in psychosis. *Acta Psychiatrica Scandinavica*, 112(1), 4–17.
- Cooke, M., Peters, E., Fannon, D., Anilkumar, A. P. P., Aasen, I., Kuipers, E., & Kumari, V. (2007). Insight, distress and coping styles in schizophrenia. *Schizophrenia Research*, 94(1-3), 12–22.
- Corcoran, R., & Frith, C. D. (2003). Autobiographical memory and theory of mind: evidence of a relationship in schizophrenia. *Psychological Medicine*, 33(5), 897–905.
- Craig, A. D. B. (2011). Significance of the insula for the evolution of human awareness of feelings from the body. *Annals of the New York Academy of Sciences*, 1225, 72–82.
- Cuesta, M. J., Peralta, V., Campos, M. S., & Garcia-Jalon, E. (2011). Can insight be predicted in first-episode psychosis patients? A longitudinal and hierarchical analysis of predictors in a drug-naïve sample. *Schizophrenia Research*, 130(1-3), 148–56.
- Ćurčić-Blake, B., van der Meer, L., Pijnenborg, G. H. M., David, A. S., & Aleman, A. (2015). Insight and psychosis: Functional and anatomical brain connectivity and self-reflection in Schizophrenia. *Human Brain Mapping*, 36(12), 4859–68.
- D'Argembeau, A., Feyers, D., Majerus, S., Collette, F., Van der Linden, M., Maquet, P., & Salmon, E. (2008). Self-reflection across time: cortical midline structures differentiate between present and past selves. *Social Cognitive and Affective Neuroscience*, 3(3), 244–52.
- Dam, J. (2006). Insight in schizophrenia: a review. *Nordic Journal of Psychiatry*, 60(2), 114–20.
- Damasio, A. (1999). *The feeling of what happens: Body and emotion in the making of consciousness*. New York, NY: Harcourt Brace.
- Dantas, C. de R., & Banzato, C. E. M. (2007). Inter-rater reliability and factor analysis of the Brazilian version of the Schedule for the Assessment of Insight: Expanded Version (SAI-E). *Revista Brasileira de Psiquiatria (São Paulo, Brazil : 1999)*, 29(4), 359–62.
- David, A. S. (1990). Insight and psychosis. *The British Journal of Psychiatry: The Journal of Mental Science*, 156, 798–808.
- David, A. S. (1999). "To see ourselves as others see us". *Aubrey Lewis's insight. The British Journal of Psychiatry : The Journal of Mental Science*, 175, 210–6.
- David, A. S., Bedford, N., Wiffen, B., & Gilleen, J. (2012). Failures of metacognition and lack of insight in neuropsychiatric disorders. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 367(1594), 1379–1390.
- David, A. S., Chis Ster, I., & Zavarei, H. (2012). Effect of video self-observations vs. observations of others on insight in psychotic disorders. *The Journal of Nervous and Mental Disease*, 200(4), 358–61.
- Davidoff, S. A., Forester, B. P., Ghaemi, S. N., & Bodkin, J. A. (1998). Effect of video self-observation on development of insight in psychotic disorders. *The Journal of Nervous and Mental Disease*, 186(11), 697–700.
- De Silva, J., Hanwella, R., & de Silva, V. A. (2012). Direct and indirect cost of schizophrenia in outpatients treated in a tertiary care psychiatry unit. *The Ceylon Medical Journal*, 57(1), 14–8.
- Decety, J., & Sommerville, J. A. (2003). Shared representations between self and other: a social cognitive neuroscience view. *Trends in Cognitive Sciences*, 7(12), 527–33.

Delahunty, A., & Morice, R. (1993). Training Programme for the Remediation of Cognitive Deficits in Schizophrenia. Albury, NSW: Department of Health of Australia.

Dickinson, D., Ramsey, M. E., & Gold, J. M. (2007). Overlooking the obvious: a meta-analytic comparison of digit symbol coding tasks and other cognitive measures in schizophrenia. *Archives of General Psychiatry*, 64(5), 532–542.

Dimaggio, G., Vanheule, S., Lysaker, P. H., Carcione, A., & Nicolò, G. (2009). Impaired self-reflection in psychiatric disorders among adults: a proposal for the existence of a network of semi independent functions. *Consciousness and Cognition*, 18(3), 653–64.

Donohoe, G., Hayden, J., McGlade, N., O'Gráda, C., Burke, T., Barry, S., ... Corvin, A. P. (2009). Is “clinical” insight the same as “cognitive” insight in schizophrenia? *Journal of the International Neuropsychological Society: JINS*, 15(3), 471–5.

Drake, R. J., Dunn, G., Tarrier, N., Bentall, R. P., Haddock, G., & Lewis, S. W. (2007). Insight as a predictor of the outcome of first-episode nonaffective psychosis in a prospective cohort study in England. *The Journal of Clinical Psychiatry*, 68(1), 81–86.

Drake, R. J., & Lewis, S. W. (2003). Insight and neurocognition in schizophrenia. *Schizophrenia Research*, 62(1-2), 165–173.

Ebisch, S., & Aleman, A. (2016). The fragmented self: imbalance between intrinsic and extrinsic self-networks in psychotic disorders. *Lancet Psychiatry*, in press.

Elliott, R., & Sahakian, B. J. (1995). The neuropsychology of schizophrenia: relations with clinical and neurobiological dimensions. *Psychological Medicine*, 25(3), 581–94.

Ellison-Wright, I., & Bullmore, E. (2010). Anatomy of bipolar disorder and schizophrenia: a meta-analysis. *Schizophrenia Research*, 117(1), 1–12.

Ellison-Wright, I., Glahn, D. C., Laird, A. R., Thelen, S. M., & Bullmore, E. (2008). The anatomy of first-episode and chronic schizophrenia: an anatomical likelihood estimation meta-analysis. *The American Journal of Psychiatry*, 165(8), 1015–23.

Emami, S., Guimond, S., Mallar Chakravarty, M., & Lepage, M. (2016). Cortical thickness and low insight into symptoms in enduring schizophrenia. *Schizophrenia Research*, 170(1), 66–72.

Engel, J. A., Friis, S., Birkenaes, A. B., Jónsdóttir, H., Klungsøyr, O., Ringen, P. A., Andreassen, O. A. (2010). Delusions are associated with poor cognitive insight in schizophrenia. *Schizophrenia Bulletin*, 36(4), 830–5.

Engel, J. A., Friis, S., Birkenaes, A. B., Jónsdóttir, H., Ringen, P. A., Ruud, T., Andreassen, O. A. (2007). Measuring cognitive insight in schizophrenia and bipolar disorder: a comparative study. *BMC Psychiatry*, 7, 71.

Engel, J. A., Sundet, K., Simonsen, C., Vaskinn, A., Lagerberg, T. V., Opjordsmoen, S., Andreassen, O. A. (2011). Verbal learning contributes to cognitive insight in schizophrenia independently of affective and psychotic symptoms. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 35(4), 1059–63.

Erol, A., Delibas, H., Bora, O., & Mete, L. (2015). The impact of insight on social functioning in patients with schizophrenia. *The International Journal of Social Psychiatry*, 61(4), 379–85.

Farrow, T. F., Zheng, Y., Wilkinson, I. D., Spence, S. A., Deakin, J. F., Tarrier, N., Woodruff, P. W. (2001). Investigating the functional anatomy of empathy and forgiveness. *Neuroreport*, 12(11), 2433–8.

Fassbender, C., Simoes-Franklin, C., Murphy, K., Hester, R., Meaney, J., Robertson, I. H., & Garavan, H. (2006). The Role of a Right Fronto-Parietal Network in Cognitive Control. *Journal of Psychophysiology*, 20(4), 286–296.

Favrod, J., Zimmermann, G., Raffard, S., Pomini, V., & Khazaal, Y. (2008). The Beck Cognitive Insight Scale in outpatients with psychotic disorders: further evidence from a French-speaking sample. *Canadian Journal of Psychiatry. Revue Canadienne de Psychiatrie*, 53(11), 783–7.

Flashman, L. A., McAllister, T. W., Johnson, S. C., Rick, J. H., Green, R. L., & Saykin, A. J. (2001). Specific frontal lobe subregions correlated with unawareness of illness in schizophrenia: a preliminary study. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 13(2), 255–7.

Flavell, J. H. (1978). Metacognitive development. Structural/process theories of complex human behavior. Alphen a. d. Rijn, The Netherlands: Sijthoff & Noordhoff.

Fornito, A., Yücel, M., Patti, J., Wood, S. J., & Pantelis, C. (2009). Mapping grey matter reductions in schizophrenia: an anatomical likelihood estimation analysis of voxel-based morphometry studies. *Schizophrenia Research*, 108(1-3), 104–13.

Fossati, P., Hevenor, S. J., Graham, S. J., Grady, C., Keightley, M. L., Craik, F., & Mayberg, H. (2003). In search of the emotional self: an fMRI study using positive and negative emotional words. *The American Journal of Psychiatry*, 160(11), 1938–45.

Fotopoulou, A., Pernigo, S., Maeda, R., Rudd, A., & Kopelman, M. A. (2010). Implicit awareness in anosognosia for hemiplegia: unconscious interference without conscious re-representation. *Brain: A Journal of Neurology*, 133(12), 3564–3577.

Fox, M. D., Snyder, A. Z., Vincent, J. L., Corbetta, M., Van Essen, D. C., & Raichle, M. E. (2005). The human brain is intrinsically organized into dynamic, anticorrelated functional networks. *Proceedings of the National Academy of Sciences of the United States of America*, 102(27), 9673–8.

Frese, F. J., Knight, E. L., & Saks, E. (2009). Recovery from schizophrenia: with views of psychiatrists, psychologists, and others diagnosed with this disorder. *Schizophrenia Bulletin*, 35(2), 370–80.

Friston, K. J., Frith, C. D., Liddle, P. F., & Frackowiak, R. S. (1993). Functional connectivity: the principal-component analysis of large (PET) data sets. *Journal of Cerebral Blood Flow and Metabolism: Official Journal of the International Society of Cerebral Blood Flow and Metabolism*, 13(1), 5–14. 4

Frith, C. D. (1992). *The cognitive neuropsychology of schizophrenia. Essays in cognitive psychology*. Hove, UK: L. Erlbaum Associates.

Frith, C. D., & Corcoran, R. (1996). Exploring “theory of mind” in people with schizophrenia. *Psychological Medicine*, 26(3), 521–30.

Fung, K. M. T., Tsang, H. W. H., & Cheung, W. (2011). Randomized controlled trial of the self-stigma reduction program among individuals with schizophrenia. *Psychiatry Research*, 189(2), 208–14.

Gallagher, H. L., & Frith, C. D. (2003). Functional imaging of “theory of mind.” *Trends in Cognitive Sciences*, 7(2), 77–83.

- Gambini, O., Barbieri, V., & Scarone, S. (2004). Theory of Mind in schizophrenia: first person vs third person perspective. *Consciousness and Cognition*, 13(1), 39–46.
- Gardner, D. M., Murphy, A. L., O'Donnell, H., Centorrino, F., & Baldessarini, R. J. (2010). International consensus study of antipsychotic dosing. *The American Journal of Psychiatry*, 167(6), 686–93.
- Gerretsen, P., Chakravarty, M. M., Mamo, D., Menon, M., Pollock, B. G., Rajji, T. K., & Graff-Guerrero, A. (2013). Frontotemporoparietal asymmetry and lack of illness awareness in schizophrenia. *Human Brain Mapping*, 34(5), 1035–43.
- Gerretsen, P., Menon, M., Mamo, D. C., Fervaha, G., Remington, G., Pollock, B. G., & Graff-Guerrero, A. (2014). Impaired insight into illness and cognitive insight in schizophrenia spectrum disorders: resting state functional connectivity. *Schizophrenia Research*, 160(1–3), 43–50.
- Gerretsen, P., Plitman, E., Rajji, T. K., & Graff-Guerrero, A. (2014). The effects of aging on insight into illness in schizophrenia: a review. *International Journal of Geriatric Psychiatry*, 29(11), 1145–61.
- Gerretsen, P., Remington, G., Borlido, C., Quilty, L., Hassan, S., Polsinelli, G., Graff-Guerrero, A. (2014). The VAGUS insight into psychosis scale-self-report and clinician-rated versions. *Psychiatry Research*, 220(3), 1084–9.
- Gilleen, J., Greenwood, K., & David, A. S. (2011). Domains of awareness in schizophrenia. *Schizophrenia Bulletin*, 37(1), 61–72.
- Glahn, D. C., Laird, A. R., Ellison-Wright, I., Thelen, S. M., Robinson, J. L., Lancaster, J. L., Fox, P. T. (2008). Meta-analysis of gray matter anomalies in schizophrenia: application of anatomic likelihood estimation and network analysis. *Biological Psychiatry*, 64(9), 774–81.
- Goghari, V. M., Sponheim, S. R., & MacDonald, A. W. (2010). The functional neuroanatomy of symptom dimensions in schizophrenia: A qualitative and quantitative review of a persistent question. *Neuroscience & Biobehavioral Reviews*, 34(3), 468–486.
- Goldman-Rakic, P. S. (1994). Working memory dysfunction in schizophrenia. *The Journal of Neuropsychiatry and Clinical Neurosciences*, 6(4), 348–357.
- Gori, A., Craparo, G., Giannini, M., Loscalzo, Y., Caretti, V., La Barbera, D., Schulberg, D. (2015). Development of a new measure for assessing insight: Psychometric properties of the insight orientation scale (IOS). *Schizophrenia Research*, 169(1–3), 298–302.
- Granholm, E., McQuaid, J. R., McClure, F. S., Auslander, L. A., Perivoliotis, D., Pedrelli, P., Jeste, D. V. (2005). A randomized, controlled trial of cognitive behavioral social skills training for middle-aged and older outpatients with chronic schizophrenia. *The American Journal of Psychiatry*, 162(3), 520–9.
- Grant, A. M., Franklin, J., & Langford, P. (2002). The self-reflection and insight scale: a new measure of private self-consciousness. *Social Behavior and Personality: An International Journal*, 30(8), 821–835.
- Greenberger, C., & Serper, M. R. (2010). Examination of clinical and cognitive insight in acute schizophrenia patients. *The Journal of Nervous and Mental Disease*, 198(7), 465–9.
- Greicius, M. D., Krasnow, B., Reiss, A. L., & Menon, V. (2003). Functional connectivity in the resting brain: a network analysis of the default mode hypothesis. *Proceedings of the National Academy of Sciences of the United States of America*, 100(1), 253–8.
- Grezes, J. (1998). Top down effect of strategy on the perception of human biological motion: a pet investigation. *Cognitive Neuropsychology*, 15(6–8), 553–82.
- Gur, R. E., Turetsky, B. I., Cowell, P. E., Finkelman, C., Maany, V., Grossman, R. I., Gur, R. C. (2000). Temporolimbic volume reductions in schizophrenia. *Archives of General Psychiatry*, 57(8), 769–75.
- Gusnard, D. A., & Raichle, M. E. (2001). Searching for a baseline: functional imaging and the resting human brain. *Nature Reviews. Neuroscience*, 2(10), 685–94.
- Ha, T. H., Youn, T., Ha, K. S., Rho, K. S., Lee, J. M., Kim, I. Y., Kwon, J. S. (2004). Gray matter abnormalities in paranoid schizophrenia and their clinical correlations. *Psychiatry Research*, 132(3), 251–60.
- Habel, U., Koch, K., Kellermann, T., Reske, M., Frommann, N., Wölwer, W., Schneider, F. (2010). Training of affect recognition in schizophrenia: Neurobiological correlates. *Social Neuroscience*, 5(1), 92–104.
- Hajima, S. V., Van Haren, N., Cahn, W., Koolschijn, P. C. M. P., Hulshoff Pol, H. E., & Kahn, R. S. (2013). Brain volumes in schizophrenia: a meta-analysis in over 18 000 subjects. *Schizophrenia Bulletin*, 39(5), 1129–38.
- Heaton, R. K. (1981). *A Manual for the Wisconsin Card Sorting Test* (first). Odessa, FL: Psychological Assessment Resources.
- Heilman, K. M. (2014). Possible mechanisms of anosognosia of hemiplegia. *Cortex; a Journal Devoted to the Study of the Nervous System and Behavior*, 61, 30–42.
- Holt, D. J., Cassidy, B. S., Andrews-Hanna, J. R., Lee, S. M., Coombs, G., Goff, D. C., Moran, J. M. (2011). An anterior-to-posterior shift in midline cortical activity in schizophrenia during self-reflection. *Biological Psychiatry*, 69(5), 415–23.
- Hooker, C. I., Verosky, S. C., Germine, L. T., Knight, R. T., & D'Esposito, M. (2008). Mentalizing about emotion and its relationship to empathy. *Social Cognitive and Affective Neuroscience*, 3(3), 204–217.
- Hoy, K. E., & Fitzgerald, P. B. (2010). Brain stimulation in psychiatry and its effects on cognition. *Nature Reviews. Neurology*, 6(5), 267–75.
- Hynes, C. A., Baird, A. A., & Grafton, S. T. (2006). Differential role of the orbital frontal lobe in emotional versus cognitive perspective-taking. *Neuropsychologia*, 44(3), 374–83.
- Jaspers, K. (1997). *General psychopathology*, Vol 2. Baltimore: John Hopkins University.
- Johnson, S. C., Baxter, L. C., Wilder, L. S., Pipe, J. G., Heiserman, J. E., & Prigatano, G. P. (2002). Neural correlates of self-reflection. *Brain: A Journal of Neurology*, 125(Pt 8), 1808–1814.
- Jolles, D. D., van Buchem, M. A., Crone, E. A., & Rombouts, S. A. R. B. (2013). Functional brain connectivity at rest changes after working memory training. *Human Brain Mapping*, 34(2), 396–406.
- Jørgensen, R., Licht, R. W., Lysaker, P. H., Munk-Jørgensen, P., Buck, K. D., Jensen, S. O. W., Zoffmann, V. (2015). Effects on cognitive and clinical insight with the use of Guided Self-Determination in outpatients with schizophrenia: A randomized open trial. *European Psychiatry: The Journal of the Association of European Psychiatrists*, 30(5), 655–63.
- Jørgensen, R., Munk-Jørgensen, P., Lysaker, P. H., Buck, K. D., Hansson, L., & Zoffmann, V. (2014). Overcoming recruitment barriers revealed high readiness to participate and low dropout rate among people with schizophrenia in a randomized controlled trial testing the effect of a Guided Self-Determination intervention. *BMC Psychiatry*, 14, 28.

- Kao, Y.-C., Liu, Y.-P., Lien, Y.-J., Lin, S.-J., Lu, C.-W., Wang, T.-S., & Loh, C.-H. (2013). The influence of sex on cognitive insight and neurocognitive functioning in schizophrenia. *Progress in Neuro-Psopharmacology & Biological Psychiatry*, 44, 193–200.
- Kay, S. R., Fiszbein, A., & Opler, L. A. (1987). The positive and negative syndrome scale (PANSS) for schizophrenia. *Schizophrenia Bulletin*, 13(2), 261–276.
- Keefe, R. S. (1995). The contribution of neuropsychology to psychiatry. *The American Journal of Psychiatry*, 152(1), 6–15.
- Kelley, W. M., Macrae, C. N., Wyland, C. L., Caglar, S., Inati, S., & Heatherton, T. F. (2002). Finding the self? An event-related fMRI study. *Journal of Cognitive Neuroscience*, 14(5), 785–94.
- Kemp, R., & David, A. (1997). Insight and compliance. In *Treatment Compliance and the Therapeutic Alliance; Chronic Mental Illness* (pp. 61–84). Amsterdam: Harwood.
- Kemp, R., David, A., & Hayward, P. (1996). Compliance therapy: An intervention targeting insight and treatment adherence in psychotic patients. *Behavioural and Cognitive Psychotherapy*, 24(4), 331–350.
- Konstantakopoulos, G., Ploumpidis, D., Oulis, P., Patrikelis, P., Nikitopoulou, S., Papadimitriou, G. N., & David, A. S. (2014). The relationship between insight and theory of mind in schizophrenia. *Schizophrenia Research*, 152(1), 217–22.
- Konstantakopoulos, G., Ploumpidis, D., Oulis, P., Soumani, A., Nikitopoulou, S., Pappa, K., David, A. S. (2013). Is insight in schizophrenia multidimensional? Internal structure and associations of the Greek version of the Schedule for the Assessment of Insight-Expanded. *Psychiatry Research*, 209(3), 346–52.
- Koren, D., Seidman, L. J., Goldsmith, M., & Harvey, P. D. (2006). Real-world cognitive--and metacognitive--dysfunction in schizophrenia: a new approach for measuring (and remediating) more "right stuff." *Schizophrenia Bulletin*, 32(2), 310–326.
- Koren, D., Seidman, L. J., Poyurovsky, M., Goldsmith, M., Viksman, P., Zichel, S., & Klein, E. (2004). The neuropsychological basis of insight in first-episode schizophrenia: a pilot metacognitive study. *Schizophrenia Research*, 70(2-3), 195–202.
- Koren, D., Viksman, P., Giuliano, A. J., & Seidman, L. J. (2013). The nature and evolution of insight in schizophrenia: a multi-informant longitudinal study of first-episode versus chronic patients. *Schizophrenia Research*, 151(1-3), 245–51.
- Korn, C. W., Prehn, K., Park, S. Q., Walter, H., & Heekeren, H. R. (2012). Positively biased processing of self-relevant social feedback. *The Journal of Neuroscience: The Official Journal of the Society for Neuroscience*, 32(47), 16832–44.
- Kraepelin, E. (1919). *Dementia Praecox and Paraphrenia*. (trans. R. M. Barclay, Ed.). Edinburgh: E. & S. Livingstone.
- Lalova, M., Baylé, F., Grillon, M.-L., Houet, L., Moreau, E., Rouam, F., Piolino, P. (2013). Mechanisms of insight in schizophrenia and impact of cognitive remediation therapy. *Comprehensive Psychiatry*, 54(4), 369–80.
- Langdon, R., Coltheart, M., Ward, P. B., & Catts, S. V. (2002). Disturbed communication in schizophrenia: the role of poor pragmatics and poor mind-reading. *Psychological Medicine*, 32(7), 1273–84.
- Langdon, R., & Ward, P. (2009). Taking the perspective of the other contributes to awareness of illness in schizophrenia. *Schizophrenia Bulletin*, 35(5), 1003–1011.
- Laroi, F., Barr, W. B., & Keefe, R. S. E. (2004). The neuropsychology of insight in psychiatric and neurological disorders. In X. F. Amador & A. S. David (Eds.), *Insight and psychosis: awareness of insight in schizophrenia and related disorders*. (Second Ed, pp. 119–157). Oxford: Oxford University Press.
- Lecomte, T., Corbière, M., & Laisné, F. (2006). Investigating self-esteem in individuals with schizophrenia: relevance of the Self-Esteem Rating Scale-Short Form. *Psychiatry Research*, 143(1), 99–108.
- Lee, J. S., Chun, J. W., Lee, S.-H., Kim, E., Lee, S.-K., & Kim, J.-J. (2015). Altered neural basis of the reality processing and its relation to cognitive insight in schizophrenia. *PloS One*, 10(3), e0120478.
- Lee, K.-H., Brown, W. H., Egleston, P. N., Green, R. D. J., Farrow, T. F. D., Hunter, M. D., Woodruff, P. W. R. (2006). A functional magnetic resonance imaging study of social cognition in schizophrenia during an acute episode and after recovery. *The American Journal of Psychiatry*, 163(11), 1926–33.
- Lee, S. J., Kang, D. H., Kim, C.-W., Gu, B. M., Park, J.-Y., Choi, C.-H., Kwon, J. S. (2010). Multi-level comparison of empathy in schizophrenia: An fMRI study of a cartoon task. *Psychiatry Research: Neuroimaging*, 181(2), 121–129.
- Lee, S.-H., Niznikiewicz, M., Asami, T., Otsuka, T., Salisbury, D. F., Shenton, M. E., & McCarley, R. W. (2015). Initial and Progressive Gray Matter Abnormalities in Insular Gyrus and Temporal Pole in First-Episode Schizophrenia Contrasted With First-Episode Affective Psychosis. *Schizophrenia Bulletin*.
- Lepage, M., Buchy, L., Bodnar, M., Bertrand, M. C., Joobar, R., & Malla, A. (2008). Cognitive insight and verbal memory in first episode of psychosis. *European Psychiatrist: The Journal of the Association of European Psychiatrists*, 23(5), 368–374.
- Leucht, S., Burkard, T., Henderson, J., Maj, M., & Sartorius, N. (2007). Physical illness and schizophrenia: a review of the literature. *Acta Psychiatrica Scandinavica*, 116(5), 317–33.
- Lewis, A. (1934). The psychopathology of insight. *British Journal of Medical Psychology*, 14, 332–348.
- Li, H., Chan, R. C. K., McAlonan, G. M., & Gong, Q. (2010). Facial emotion processing in schizophrenia: a meta-analysis of functional neuroimaging data. *Schizophrenia Bulletin*, 36(5), 1029–39.
- Li, Y.-O., Adali, T., & Calhoun, V. D. (2007). Estimating the number of independent components for functional magnetic resonance imaging data. *Human Brain Mapping*, 28(11), 1251–66.
- Liemburg, E. J., van der Meer, L., Swart, M., Curcic-Blake, B., Brugge-man, R., Knegtering, H., & Aleman, A. (2012). Reduced connectivity in the self-processing network of schizophrenia patients with poor insight. *PloS One*, 7(8), e42707.
- Lincoln, T. M., Lullmann, E., & Rief, W. (2007). Correlates and long-term consequences of poor insight in patients with schizophrenia. A systematic review. *Schizophrenia Bulletin*, 33(6), 1324–1342.
- Lou, H. C., Luber, B., Stanford, A., & Lisanby, S. H. (2010). Self-specific processing in the default network: a single-pulse TMS study. *Experimental Brain Research*, 207(1-2), 27–38.
- Lui, S., Li, T., Deng, W., Jiang, L., Wu, Q., Tang, H., Gong, Q. (2010). Short-term effects of antipsychotic treatment on cerebral function in drug-naïve first-episode schizophrenia revealed by "resting state" functional magnetic resonance imaging. *Archives of General Psychiatry*, 67(8), 783–92.

- Lysaker, P., & Bell, M. (1994). Insight and cognitive impairment in schizophrenia. Performance on repeated administrations of the Wisconsin Card Sorting Test. *The Journal of Nervous and Mental Disease*, 182(11), 656–660.
- Lysaker, P. H., Bryson, G. J., Lancaster, R. S., Evans, J. D., & Bell, M. D. (2003). Insight in schizophrenia: associations with executive function and coping style. *Schizophrenia Research*, 59(1), 41–47.
- Lysaker, P. H., Buck, K. D., Salvatore, G., Popolo, R., & Dimaggio, G. (2009). Lack of awareness of illness in schizophrenia: conceptualizations, correlates and treatment approaches. *Expert Review of Neurotherapeutics*, 9(7), 1035–43.
- Lysaker, P. H., Buck, K. D., Taylor, A. C., & Roe, D. (2008). Associations of metacognition and internalized stigma with quantitative assessments of self-experience in narratives of schizophrenia. *Psychiatry Research*, 157(1-3), 31–8.
- Lysaker, P. H., Campbell, K., & Johannesen, J. K. (2005). Hope, awareness of illness, and coping in schizophrenia spectrum disorders: evidence of an interaction. *The Journal of Nervous and Mental Disease*, 193(5), 287–92.
- Lysaker, P. H., Clements, C. A., Plascak-Hallberg, C. D., Knipscheer, S. J., & Wright, D. E. (2002). Insight and personal narratives of illness in schizophrenia. *Psychiatry*, 65(3), 197–206.
- Lysaker, P. H., Dimaggio, G., Buck, K. D., Callaway, S. S., Salvatore, G., Carcione, A., Stanghellini, G. (2011). Poor insight in schizophrenia: links between different forms of metacognition with awareness of symptoms, treatment need, and consequences of illness. *Comprehensive Psychiatry*, 52(3), 253–60.
- Lysaker, P. H., Erickson, M., Ringer, J., Buck, K. D., Semerari, A., Carcione, A., & Dimaggio, G. (2011). Metacognition in schizophrenia: the relationship of mastery to coping, insight, self-esteem, social anxiety, and various facets of neurocognition. *The British Journal of Clinical Psychology / the British Psychological Society*, 50(4), 412–24.
- Lysaker, P. H., Gumley, A., Luedtke, B., Buck, K. D., Ringer, J. M., Olesek, K., Dimaggio, G. (2013). Social cognition and metacognition in schizophrenia: evidence of their independence and linkage with outcomes. *Acta Psychiatrica Scandinavica*, 127(3), 239–47.
- Lysaker, P. H., Leonhardt, B. L., Brüne, M., Buck, K. D., James, A., Vohs, J., Dimaggio, G. (2014). Capacities for theory of mind, metacognition, and neurocognitive function are independently related to emotional recognition in schizophrenia. *Psychiatry Research*, 219(1), 79–85.
- Lysaker, P. H., Olesek, K. L., Warman, D. M., Martin, J. M., Salzman, A. K., Nicolo, G., Dimaggio, G. (2011). Metacognition in schizophrenia: correlates and stability of deficits in theory of mind and self-reflectivity. *Psychiatry Research*, 190(1), 18–22.
- Lysaker, P. H., Ringer, J., Maxwell, C., McGuire, A., & Lecomte, T. (2010). Personal narratives and recovery from schizophrenia. *Schizophrenia Research*, 121(1-3), 271–6.
- Lysaker, P. H., Roe, D., & Yanos, P. T. (2007). Toward understanding the insight paradox: internalized stigma moderates the association between insight and social functioning, hope, and self-esteem among people with schizophrenia spectrum disorders. *Schizophrenia Bulletin*, 33(1), 192–9.
- Lysaker, P. H., Warman, D. M., Dimaggio, G., Procacci, M., Larocco, V. A., Clark, L. K., Nicolo, G. (2008). Metacognition in schizophrenia: associations with multiple assessments of executive function. *The Journal of Nervous and Mental Disease*, 196(5), 384–389.
- Maddock, R. J., Garrett, A. S., & Buonocore, M. H. (2001). Remembering familiar people: the posterior cingulate cortex and autobiographical memory retrieval. *Neuroscience*, 104(3), 667–76.
- Marková, I. S., & Berrios, G. E. (1992). The meaning of insight in clinical psychiatry. *The British Journal of Psychiatry : The Journal of Mental Science*, 160, 850–60.
- Marks, K. A., Fastenau, P. S., Lysaker, P. H., & Bond, G. R. (2000). Self-Appraisal of Illness Questionnaire (SAIQ): relationship to researcher-rated insight and neuropsychological function in schizophrenia. *Schizophrenia Research*, 45(3), 203–11.
- Markus, H., & Wurf, E. (1987). The Dynamic Self-Concept: A Social Psychological Perspective. *Annual Review Psychology*, 38, 299–337.
- Martin, J. M., Warman, D. M., & Lysaker, P. H. (2010). Cognitive insight in non-psychiatric individuals and individuals with psychosis: an examination using the Beck Cognitive Insight Scale. *Schizophrenia Research*, 121(1-3), 39–45.
- Martyr, A., Clare, L., Nelis, S. M., Roberts, J. L., Robinson, J. U., Roth, I., Morris, R. G. (2011). Dissociation between implicit and explicit manifestations of awareness in early stage dementia: evidence from the emotional Stroop effect for dementia-related words. *International Journal of Geriatric Psychiatry*, 26(1), 92–99.
- McEvoy, J. P., Applebaum, P. S., Apperson, L. J., Geller, J. L., & Freter, S. (1989). Why must some schizophrenic patients be involuntarily committed? The role of insight. *Comprehensive Psychiatry*, 30(1), 13–7.
- McEvoy, J. P., Freter, S., Merritt, M., & Apperson, L. J. (1993). Insight about psychosis among outpatients with schizophrenia. *Hospital & Community Psychiatry*, 44(9), 883–4.
- McEvoy, J. P., Johnson, J., Perkins, D., Lieberman, J. A., Hamer, R. M., Keefe, R. S. E., Sharma, T. (2006). Insight in first-episode psychosis. *Psychological Medicine*, 36(10), 1385–93.
- McGlashan, T. H., Levy, S. T., & Carpenter, W. T. (1975). Integration and sealing over. Clinically distinct recovery styles from schizophrenia. *Archives of General Psychiatry*, 32(10), 1269–72.
- McGrath, J., Saha, S., Chant, D., & Welham, J. (2008). Schizophrenia: a concise overview of incidence, prevalence, and mortality. *Epidemiologic Reviews*, 30, 67–76.
- McKeown, M. J., Makeig, S., Brown, G. G., Jung, T. P., Kindermann, S. S., Bell, A. J., & Sejnowski, T. J. (1998). Analysis of fMRI data by blind separation into independent spatial components. *Human Brain Mapping*, 6(3), 160–88.
- McKiernan, K. A., Kaufman, J. N., Kucera-Thompson, J., & Binder, J. R. (2003). A parametric manipulation of factors affecting task-induced deactivation in functional neuroimaging. *Journal of Cognitive Neuroscience*, 15(3), 394–408.
- Menon, M., Schmitz, T. W., Anderson, A. K., Graff, A., Korostil, M., Mamo, D., Kapur, S. (2011). Exploring the neural correlates of delusions of reference. *Biological Psychiatry*, 70(12), 1127–33.

- Mier, D., Sauer, C., Lis, S., Esslinger, C., Wilhelm, J., Gallhofer, B., & Kirsch, P. (2010). Neuronal correlates of affective theory of mind in schizophrenia out-patients: evidence for a baseline deficit. *Psychological Medicine*, 40(10), 1607–17.
- Millier, A., Schmidt, U., Angermeyer, M. C., Chauhan, D., Murthy, V., Toumi, M., & Cadi-Soussi, N. (2014). Humanistic burden in schizophrenia: a literature review. *Journal of Psychiatric Research*, 54, 85–93.
- Mintz, A. R., Dobson, K. S., & Romney, D. M. (2003). Insight in schizophrenia: a meta-analysis. *Schizophrenia Research*, 61(1), 75–88.
- Minzenberg, M. J., Laird, A. R., Thelen, S., Carter, C. S., & Glahn, D. C. (2009). Meta-analysis of 41 functional neuroimaging studies of executive function in schizophrenia. *Archives of General Psychiatry*, 66(8), 811–22.
- Modinos, G., Ormel, J., & Aleman, A. (2009). Activation of anterior insula during self-reflection. *PLoS One*, 4(2), e4618.
- Modinos, G., Renken, R., Ormel, J., & Aleman, A. (2011). Self-reflection and the psychosis-prone brain: an fMRI study. *Neuropsychology*, 25(3), 295–305.
- Mograb, D. C., & Morris, R. G. (2013). Implicit awareness in anosognosia: clinical observations, experimental evidence, and theoretical implications. *Cognitive Neuroscience*, 4(3-4), 181–197.
- Moore, O., Cassidy, E., Carr, A., & O'Callaghan, E. (1999). Unawareness of illness and its relationship with depression and self-deception in schizophrenia. *European Psychiatry: The Journal of the Association of European Psychiatrists*, 14(5), 264–9.
- Morgan, K. D., & David, A. S. (2004). Neuropsychological studies of insight in patients with psychotic disorders. In X. Amador & A. David (Eds.), (second, pp. 177–193). Oxford University Press.
- Mueser, K. T., & McGurk, S. R. (2004). Schizophrenia. *Lancet* (London, England), 363(9426), 2063–72.
- Murphy, E. R., Brent, B. K., Benton, M., Pruitt, P., Diwadkar, V., Rajarethinam, R. P., & Keshavan, M. S. (2010). Differential processing of metacognitive evaluation and the neural circuitry of the self and others in schizophrenia: a pilot study. *Schizophrenia Research*, 116(2-3), 252–8.
- Murray, R. J., Schaer, M., & Debbané, M. (2012). Degrees of separation: a quantitative neuroimaging meta-analysis investigating self-specificity and shared neural activation between self- and other-reflection. *Neuroscience and Biobehavioral Reviews*, 36(3), 1043–59.
- Muzekari, L. H. (1974). Videotape self-confrontation among chronic schizophrenics. *Journal of Clinical Psychology*, 30(1), 99–100.
- Myin-Germeyns, I., Oorschot, M., Collip, D., Lataster, J., Delespaul, P., & van Os, J. (2009). Experience sampling research in psychopathology: opening the black box of daily life. *Psychological Medicine*, 39(9), 1533–47.
- Nair, A., Palmer, E. C., Aleman, A., & David, A. S. (2014). Relationship between cognition, clinical and cognitive insight in psychotic disorders: a review and meta-analysis. *Schizophrenia Research*, 152(1), 191–200.
- Ng, R., Fish, S., & Granholm, E. (2015). Insight and theory of mind in schizophrenia. *Psychiatry Research*, 225(1-2), 169–74.
- Niendam, T. A., Laird, A. R., Ray, K. L., Dean, Y. M., Glahn, D. C., & Carter, C. S. (2012). Meta-analytic evidence for a superordinate cognitive control network subserving diverse executive functions. *Cognitive, Affective & Behavioral Neuroscience*, 12(2), 241–68.
- Nitsche, M. A., Cohen, L. G., Wassermann, E. M., Priori, A., Lang, N., Antal, A., Pascual-Leone, A. (2008). Transcranial direct current stimulation: State of the art 2008. *Brain Stimulation*, 1(3), 206–23.
- Northoff, G., & Bermpohl, F. (2004). Cortical midline structures and the self. *Trends in Cognitive Sciences*, 8(3), 102–7.
- Northoff, G., Heinz, A., de Greck, M., Bermpohl, F., Dobrowolny, H., & Panksepp, J. (2006). Self-referential processing in our brain—a meta-analysis of imaging studies on the self. *NeuroImage*, 31(1), 440–57.
- O'Connor, J. A., Wiffen, B., Diforti, M., Ferraro, L., Joseph, C., Kolliakou, A., David, A. S. (2013). Neuropsychological, clinical and cognitive insight predictors of outcome in a first episode psychosis study. *Schizophrenia Research*, 149(1-3), 70–6.
- Ochsner, K. N., & Gross, J. J. (2005). The cognitive control of emotion. *Trends in Cognitive Sciences*. Oliver, J. P., Huxley, P. J., Priebe, S., & Kaiser, W. (1997). Measuring the quality of life of severely mentally ill people using the Lancashire Quality of Life Profile. *Social Psychiatry and Psychiatric Epidemiology*, 32(2), 76–83.
- Olson, I. R., Plotzker, A., & Ezzyat, Y. (2007). The Enigmatic temporal pole: a review of findings on social and emotional processing. *Brain: A Journal of Neurology*, 130(Pt 7), 1718–31.
- Orfei, M. D., Piras, F., Macci, E., Caltagirone, C., & Spalletta, G. (2013). The neuroanatomical correlates of cognitive insight in schizophrenia. *Social Cognitive and Affective Neuroscience*, 8(4), 418–23.
- Osatuke, K., Ciesla, J., Kasckow, J. W., Zisook, S., & Mohamed, S. (2008). Insight in schizophrenia: a review of etiological models and supporting research. *Comprehensive Psychiatry*, 49(1), 70–7.
- Palaniyappan, L., Mallikarjun, P., Joseph, V., & Liddle, P. F. (2011). Appreciating symptoms and deficits in schizophrenia: right posterior insula and poor insight. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 35(2), 523–7.
- Palmer, E. C., & David, A. S. (2013). More work on lack of awareness and insight in healthy people and psychiatric patients will assist model building. *Cognitive Neuroscience*, 4(3-4), 206–207.
- Parellada, M., Boada, L., Fraguas, D., Reig, S., Castro-Fornieles, J., Moreno, D., Arango, C. (2011). Trait and state attributes of insight in first episodes of early-onset schizophrenia and other psychoses: a 2-year longitudinal study. *Schizophrenia Bulletin*, 37(1), 38–51.
- Pauly, K. D., Kircher, T. T. J., Schneider, F., & Habel, U. (2014). Me, myself and I: temporal dysfunctions during self-evaluation in patients with schizophrenia. *Social Cognitive and Affective Neuroscience*, 9(11), 1779–88.
- Pedrelli, P., McQuaid, J. R., Granholm, E., Patterson, T. L., McClure, F., Beck, A. T., & Jeste, D. V. (2004). Measuring cognitive insight in middle-aged and older patients with psychotic disorders. *Schizophrenia Research*, 71(2-3), 297–305.
- Penn, D. L., Meyer, P. S., Evans, E., Wirth, R. J., Cai, K., & Burchinal, M. (2009). A randomized controlled trial of group cognitive-behavioral therapy vs. enhanced supportive therapy for auditory hallucinations. *Schizophrenia Research*, 109(1-3), 52–9.
- Peralta, V., & Cuesta, M. J. (1994). Lack of insight: its status within schizophrenic psychopathology. *Biological Psychiatry*, 36(8), 559–561.

- Perivoliotis, D., Grant, P. M., Peters, E. R., Ison, R., Kuipers, E., & Beck, A. T. (2010). Cognitive insight predicts favorable outcome in cognitive behavioral therapy for psychosis. *Psychosis*, 2(1), 23–33.
- Pettersson-Yeo, W., Allen, P., Benetti, S., McGuire, P., & Mechelli, A. (2011). Dysconnectivity in schizophrenia: Where are we now? *Neuroscience & Biobehavioral Reviews*, 35(5), 1110–1124.
- Pietrini, P., Furey, M. L., Ricciardi, E., Gobbini, M. I., Wu, W.-H. C., Cohen, L., Haxby, J. V. (2004). Beyond sensory images: Object-based representation in the human ventral pathway. *Proceedings of the National Academy of Sciences of the United States of America*, 101(15), 5658–63.
- Pijnenborg, G. H. M., Spikman, J. M., Jeronimus, B. F., & Aleman, A. (2012). Insight in schizophrenia: associations with empathy. *European Archives of Psychiatry and Clinical Neuroscience*, 263(4), 299–307.
- Pijnenborg, G. H. M., Timmerman, M. E., Derks, E. M., Fleischhacker, W. W., Kahn, R. S., & Aleman, A. (2015). Differential effects of antipsychotic drugs on insight in first episode schizophrenia: Data from the European First-Episode Schizophrenia Trial (EUFEST). *European Neuropsychopharmacology: The Journal of the European College of Neuropsychopharmacology*, 25(6), 808–16.
- Pijnenborg, G. H. M., van Donkersgoed, R. J. M., David, A. S., & Aleman, A. (2013). Changes in insight during treatment for psychotic disorders: a meta-analysis. *Schizophrenia Research*, 144(1-3), 109–17.
- Pijnenborg, G.H.M., Van der Gaag, M., Bockting, C. L., Van der Meer, L., & Aleman, A. (2011). REFLEX, a social-cognitive group treatment to improve insight in schizophrenia: study protocol of a multi-center RCT. *BMC Psychiatry*, 11(1), 161.
- Priebe, S., Huxley, P., Knight, S., & Evans, S. (1999). Application and results of the Manchester Short Assessment of Quality of Life (MAN-SA). *The International Journal of Social Psychiatry*, 45(1), 7–12.
- Pyne, J. M., Bean, D., & Sullivan, G. (2001). Characteristics of patients with schizophrenia who do not believe they are mentally ill. *The Journal of Nervous and Mental Disease*, 189(3), 146–153.
- Quee, P. J., van der Meer, L., Bruggeman, R., de Haan, L., Krabbendam, L., Cahn, W., Aleman, A. (2010). Insight in Psychosis: Relationship With Neurocognition, Social Cognition and Clinical Symptoms Depends on Phase of Illness. *Schizophrenia Bulletin*, 37(1), 29–37.
- Quee, P. J., van der Meer, L., Krabbendam, L., de Haan, L., Cahn, W., Wiersma, D., Aleman, A. (2014). Insight change in psychosis: relationship with neurocognition, social cognition, clinical symptoms and phase of illness. *Acta Psychiatrica Scandinavica*, 129(2), 126–33.
- Rabbitt, P. M. A. (1966). Error correction time without external error signals. *Nature*, 38(Nature), 329–337. Raichle, M. E., MacLeod, A. M., Snyder, A. Z., Powers, W. J., Gusnard, D. A., & Shulman, G. L. (2001). A default mode of brain function. *Proceedings of the National Academy of Sciences of the United States of America*, 98(2), 676–82.
- Raichle, M. E., & Snyder, A. Z. (2007). A default mode of brain function: a brief history of an evolving idea. *NeuroImage*, 37(4), 1083–90; discussion 1097–9.
- Raij, T. T., Riekkki, T. J. J., & Hari, R. (2012). Association of poor insight in schizophrenia with structure and function of cortical midline structures and frontopolar cortex. *Schizophrenia Research*, 139(1-3), 27–32.
- Rasbash, J., Charlton, C., Browne, W., Healy, M., & Cameron, B. (2005). MLwiN Version 2.02. Centre for Multilevel Modelling, University of Bristol. Ratcliff, R. (1993). Methods for dealing with reaction time outliers. *Psychological Bulletin*, 114(3), 510–532.
- Ries, M. L., Jabbar, B. M., Schmitz, T. W., Trivedi, M. A., Gleason, C. E., Carlsson, C. M., Johnson, S. C. (2007). Anosognosia in mild cognitive impairment: Relationship to activation of cortical midline structures involved in self-appraisal. *Journal of the International Neuropsychological Society: JINS*, 13(3), 450–61.
- Riggs, S. E., Grant, P. M., Perivoliotis, D., & Beck, A. T. (2012). Assessment of cognitive insight: a qualitative review. *Schizophrenia Bulletin*, 38(2), 338–50.
- Rissman, J., Gazzaley, A., & D'Esposito, M. (2004). Measuring functional connectivity during distinct stages of a cognitive task. *NeuroImage*, 23(2), 752–63.
- Ritscher, J. B., Otilingam, P. G., & Grajales, M. (2003). Internalized stigma of mental illness: psychometric properties of a new measure. *Psychiatry Research*, 121(1), 31–49.
- Roe, D., & Kravetz, S. (2003). Different ways of being aware of a psychiatric disability: a multifunctional narrative approach to insight into mental disorder. *The Journal of Nervous and Mental Disease*, 191(7), 417–24.
- Rokeach, M. (1964). *The Three Christs of Ypsilanti*. New York, NY: Knopf.
- Rosen, H. J., Alcantar, O., Zakrzewski, J., Shimamura, A. P., Neuhaus, J., & Miller, B. L. (2014). Metacognition in the behavioral variant of frontotemporal dementia and Alzheimer's disease. *Neuropsychology*, 28(3), 436–447.
- Ruby, P., & Decety, J. (2001). Effect of subjective perspective taking during simulation of action: a PET investigation of agency. *Nature Neuroscience*, 4(5), 546–50.
- Ruby, P., & Decety, J. (2003). What you believe versus what you think they believe: a neuroimaging study of conceptual perspective-taking. *The European Journal of Neuroscience*, 17(11), 2475–80.
- Rush, A. J., Trivedi, M. H., Ibrahim, H. M., Carmody, T. J., Arnow, B., Klein, D. N., Keller, M. B. (2003). The 16-Item Quick Inventory of Depressive Symptomatology (QIDS), clinician rating (QIDS-C), and self-report (QIDS-SR): a psychometric evaluation in patients with chronic major depression. *Biological Psychiatry*, 54(5), 573–83.
- Russell, T. A., Rubia, K., Bullmore, E. T., Soni, W., Suckling, J., Brammer, M. J., Sharma, T. (2000). Exploring the social brain in schizophrenia: left prefrontal underactivation during mental state attribution. *The American Journal of Psychiatry*, 157(12), 2040–2.
- Saeedi, H., Addington, J., & Addington, D. (2007). The association of insight with psychotic symptoms, depression, and cognition in early psychosis: a 3-year follow-up. *Schizophrenia Research*, 89(1-3), 123–8.
- Samartzis, L., Dima, D., Fusar-Poli, P., & Kyriakopoulos, M. (2014). White matter alterations in early stages of schizophrenia: a systematic review of diffusion tensor imaging studies. *Journal of Neuroimaging: Official Journal of the American Society of Neuroimaging*, 24(2), 101–10.
- Samson, D., Apperly, I. A., Kathirgamanathan, U., & Humphreys, G. W. (2005). Seeing it my way: a case of a selective deficit in inhibiting self-perspective. *Brain: A Journal of Neurology*, 128(Pt 5), 1102–11.

- Sánchez, P., Peña, J., Bengoetxea, E., Ojeda, N., Elizagárate, E., Ezcurra, J., & Gutiérrez, M. (2014). Improvements in negative symptoms and functional outcome after a new generation cognitive remediation program: a randomized controlled trial. *Schizophrenia Bulletin*, 40(3), 707–15.
- Sapara, A., Cooke, M., Fannon, D., Francis, A., Buchanan, R. W., Anilkumar, A. P. P., Kumari, V. (2007). Prefrontal cortex and insight in schizophrenia: a volumetric MRI study. *Schizophrenia Research*, 89(1-3), 22–34.
- Schnell, K., Bluschke, S., Konradt, B., & Walter, H. (2011). Functional relations of empathy and mentalizing: an fMRI study on the neural basis of cognitive empathy. *NeuroImage*, 54(2), 1743–54.
- Schrank, B., Amering, M., Hay, A. G., Weber, M., & Sibitz, I. (2014). Insight, positive and negative symptoms, hope, depression and self-stigma: a comprehensive model of mutual influences in schizophrenia spectrum disorders. *Epidemiology and Psychiatric Sciences*, 23(3), 271–9.
- Schultz, C. C., Koch, K., Wagner, G., Roebel, M., Schachtzabel, C., Gaser, C., Schlösser, R. G. M. (2010). Reduced cortical thickness in first episode schizophrenia. *Schizophrenia Research*, 116(2-3), 204–9.
- Schwartz, R. C., Cohen, B. N., & Grubaugh, A. (1997). Does insight affect long-term inpatient treatment outcome in chronic schizophrenia? *Comprehensive Psychiatry*, 38(5), 283–8.
- Semerari, A., Carcione, A., Dimaggio, G., Falcone, M., Nicolò, G., Proccacci, M., & Alleva, G. (2003). How to evaluate metacognitive functioning in psychotherapy? The metacognition assessment scale and its applications. *Clinical Psychology & Psychotherapy*, 10(4), 238–261.
- Shad, M. U., & Keshavan, M. S. (2015). Neurobiology of insight deficits in schizophrenia: An fMRI study. *Schizophrenia Research*, 165(2-3), 220–6.
- Shad, M. U., Keshavan, M. S., Steinberg, J. L., Mihalakos, P., Thomas, B. P., Motes, M. A., Tamminga, C. A. (2012). Neurobiology of self-awareness in schizophrenia: an fMRI study. *Schizophrenia Research*, 138(2-3), 113–9.
- Shad, M. U., Muddasani, S., Prasad, K., Sweeney, J. A., & Keshavan, M. S. (2004). Insight and prefrontal cortex in first-episode Schizophrenia. *NeuroImage*, 22(3), 1315–20.
- Shad, M. U., Tamminga, C. A., Cullum, M., Haas, G. L., & Keshavan, M. S. (2006). Insight and frontal cortical function in schizophrenia: a review. *Schizophrenia Research*, 86(1-3), 54–70.
- Shamay-Tsoory, S. G., Aharon-Peretz, J., & Levkovitz, Y. (2007). The neuroanatomical basis of affective mentalizing in schizophrenia: comparison of patients with schizophrenia and patients with localized prefrontal lesions. *Schizophrenia Research*, 90(1-3), 274–83.
- Shamay-Tsoory, S. G., Shur, S., Barcai-Goodman, L., Medlovich, S., Harari, H., & Levkovitz, Y. (2007). Dissociation of cognitive from affective components of theory of mind in schizophrenia. *Psychiatry Research*, 149(1-3), 11–23.
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *The Journal of Clinical Psychiatry*, 59 Suppl 2, 22–57.
- Shepherd, A. M., Laurens, K. R., Matheson, S. L., Carr, V. J., & Green, M. J. (2012). Systematic meta-review and quality assessment of the structural brain alterations in schizophrenia. *Neuroscience and Biobehavioral Reviews*, 36(4), 1342–56.
- Shur, S., Shamay-Tsoory, S. G., & Levkovitz, Y. (2008). Integration of emotional and cognitive aspects of theory of mind in schizophrenia and its relation to prefrontal neurocognitive performance. *Cognitive Neuropsychiatry*, 13(6), 472–490.
- Silverstein, S. M., Spaulding, W. D., Menditto, A. A., Savitz, A., Liberman, R. P., Berten, S., & Starobin, H. (2009). Attention shaping: a reward-based learning method to enhance skills training outcomes in schizophrenia. *Schizophrenia Bulletin*, 35(1), 222–32.
- Skudlarski, P., Jagannathan, K., Anderson, K., Stevens, M. C., Calhoun, V. D., Skudlarska, B. A., & Pearlson, G. (2010). Brain connectivity is not only lower but different in schizophrenia: a combined anatomical and functional approach. *Biological Psychiatry*, 68(1), 61–9.
- Smith, R. C., Boules, S., Mattiuz, S., Youssef, M., Tobe, R. H., Sershen, H., Davis, J. M. (2015). Effects of transcranial direct current stimulation (tDCS) on cognition, symptoms, and smoking in schizophrenia: A randomized controlled study. *Schizophrenia Research*, 168(1-2), 260–266.
- Spalletta, G., Piras, F., Piras, F., Caltagirone, C., & Orfei, M. D. (2014). The structural neuroanatomy of metacognitive insight in schizophrenia and its psychopathological and neuropsychological correlates. *Human Brain Mapping*, 35(9), 4729–40.
- Sprong, M., Schothorst, P., Vos, E., Hox, J., & van Engeland, H. (2007). Theory of mind in schizophrenia: meta-analysis. *The British Journal of Psychiatry: The Journal of Mental Science*, 191, 5–13.
- Staring, A. B. P., Van der Gaag, M., Van den Berge, M., Duivenvoorden, H. J., & Mulder, C. L. (2009). Stigma moderates the associations of insight with depressed mood, low self-esteem, and low quality of life in patients with schizophrenia spectrum disorders. *Schizophrenia Research*, 115(2-3), 363–9.
- Startup, M. (1997). Awareness of own and others' schizophrenic illness. *Schizophrenia Research*, 26(2-3), 203–11.
- Stefanopoulou, E., Lafuente, A. R., Saez Fonseca, J. A., & Huxley, A. (2009). Insight, global functioning and psychopathology amongst in-patient clients with schizophrenia. *The Psychiatric Quarterly*, 80(3), 155–65.
- Stewart, S. L. K., Corcoran, R., Lewis, S. W., & Drake, R. J. (2010). The relationship between theory of mind and insight in psychosis: Evidence for specificity. *Psychosis*, 2(1), 34–40.
- Tan, H.-Y., Callicott, J. H., & Weinberger, D. R. (2007). Dysfunctional and compensatory prefrontal cortical systems, genes and the pathogenesis of schizophrenia. *Cerebral Cortex (New York, N.Y. : 1991)*, 17 Suppl 1, i171–81.
- Tarur Padinjareveettill, A. M., Rogers, J., Loo, C., & Martin, D. (2015). Transcranial direct current stimulation to enhance cognitive remediation in schizophrenia. *Brain Stimulation*, 8(2), 307–9.
- Tas, C., Danaci, A. E., Cubukcuoglu, Z., & Brüne, M. (2012). Impact of family involvement on social cognition training in clinically stable outpatients with schizophrenia -- a randomized pilot study. *Psychiatry Research*, 195(1-2), 32–8.

- Tranulis, C., Lepage, M., & Malla, A. (2008). Insight in first episode psychosis: who is measuring what? *Early Intervention in Psychiatry*, 2(1), 34–41.
- Uddin, L. Q., Iacoboni, M., Lange, C., & Keenan, J. P. (2007). The self and social cognition: the role of cortical midline structures and mirror neurons. *Trends in Cognitive Sciences*, 11(4), 153–7.
- Van Baars, A. W. B., Wierdsma, A. I., Hengeveld, M. W., & Mulder, C. L. (2013). Improved insight affects social outcomes in involuntarily committed psychotic patients: a longitudinal study in the Netherlands. *Comprehensive Psychiatry*, 54(7), 873–9.
- Van den Heuvel, M. P., & Hulshoff Pol, H. E. (2010). Exploring the brain network: a review on resting-state fMRI functional connectivity. *European Neuropsychopharmacology : The Journal of the European College of Neuropsychopharmacology*, 20(8), 519–34.
- Van der Gaag, M., Schütz, C., Ten Napel, A., Landa, Y., Delespaul, P., Bak, M., de Hert, M. (2013). Development of the Davos assessment of cognitive biases scale (DACOBS). *Schizophrenia Research*, 144(1–3), 63–71.
- Van der Meer, L., Costafreda, S., Aleman, A., & David, A. S. (2010). Self-reflection and the brain: a theoretical review and meta-analysis of neuroimaging studies with implications for schizophrenia. *Neuroscience and Biobehavioral Reviews*, 34(6), 935–46.
- Van der Meer, L., de Vos, A. E., Stiekema, A. P. M., Pijnenborg, G. H. M., van Tol, M.-J., Nolen, W. A., Aleman, A. (2013). Insight in schizophrenia: involvement of self-reflection networks? *Schizophrenia Bulletin*, 39(6), 1288–95.
- Van der Meer, L., Groenewold, N. A., Nolen, W. A., Pijnenborg, M., & Aleman, A. (2011). Inhibit yourself and understand the other: Neural basis of distinct processes underlying Theory of Mind. *NeuroImage*, 56(4), 2364–2374.
- Van der Meer, L., Groenewold, N. A., Pijnenborg, M., & Aleman, A. (2013). Psychosis-Prone and Neural Correlates of Self-Inhibition in Theory of Mind. *PLoS ONE*, 8(7), e67774.
- Van der Weiden, A., Prikken, M., & Haren, N. E. M. van. (2015). Self-Other Integration and Distinction in Schizophrenia: A Theoretical Analysis and a Review of the Evidence. *Neuroscience & Biobehavioral Reviews*. Van Os, J., & Kapur, S. (2009). Schizophrenia. *Lancet*, 374(9690), 635–45.
- Völlm, B. A., Taylor, A. N. W., Richardson, P., Corcoran, R., Stirling, J., McKie, S., Elliott, R. (2006). Neuronal correlates of theory of mind and empathy: a functional magnetic resonance imaging study in a nonverbal task. *NeuroImage*, 29(1), 90–8.
- Warman, D. M., Lysaker, P. H., & Martin, J. M. (2007). Cognitive insight and psychotic disorder: the impact of active delusions. *Schizophrenia Research*, 90(1–3), 325–33.
- Wiffen, B. D., O'Connor, J. A., Russo, M., Falcone, M. A., Joseph, C., Kolliakou, A., David, A. S. (2013). Do Psychosis Patients with Poor Insight Show Implicit Awareness on the Emotional Stroop Task. *Psychopathology*.
- Wiffen, B. D. R., Rabinowitz, J., Lex, A., & David, A. S. (2010). Correlates, change and “state or trait” properties of insight in schizophrenia. *Schizophrenia Research*, 122(1–3), 94–103.
- Williamson, P. (2007). Are anticorrelated networks in the brain relevant to schizophrenia? *Schizophrenia Bulletin*, 33(4), 994–1003.
- Wright, I. C., Rabe-Hesketh, S., Woodruff, P. W. R., David, A. S., Murray, R. M., & Bullmore, E. T. (2000). Meta-Analysis of Regional Brain Volumes in Schizophrenia. *American Journal of Psychiatry*, 157(1), 16–25.
- Yanos, P. T., Roe, D., West, M. L., Smith, S. M., & Lysaker, P. H. (2012). Group-based treatment for internalized stigma among persons with severe mental illness: findings from a randomized controlled trial. *Psychological Services*, 9(3), 248–58.
- Yen, C.-F., Yeh, M.-L., Chen, C.-S., & Chung, H.-H. Predictive value of insight for suicide, violence, hospitalization, and social adjustment for outpatients with schizophrenia: a prospective study. *Comprehensive Psychiatry*, 43(6), 443–7.
- Yeo, B. T. T., Krienen, F. M., Sepulcre, J., Sabuncu, M. R., Lashkari, D., Hollinshead, M., Buckner, R. L. (2011). The organization of the human cerebral cortex estimated by intrinsic functional connectivity. *Journal of Neurophysiology*, 106(3), 1125–65.
- Young, D. A., Davila, R., & Scher, H. (1993). Unawareness of illness and neuropsychological performance in chronic schizophrenia. *Schizophrenia Research*, 10(2), 117–124.
- Young, D. A., Zakzanis, K. K., Bailey, C., Davila, R., Griesse, J., Sartory, G., & Thom, A. (1998). Further parameters of insight and neuropsychological deficit in schizophrenia and other chronic mental disease. *The Journal of Nervous and Mental Disease*, 186(1), 44–50.
- Zhang, L., Opmeyer, E. M., Ruhé, H. G., Aleman, A., & van der Meer, L. (2015). Brain activation during self- and other-reflection in bipolar disorder with a history of psychosis: Comparison to schizophrenia. *NeuroImage: Clinical*, 8, 202–209.

